



NOTES

1. INSTALL CEILING FANS IN LOCATIONS AS INDICATED. MAINTAIN A MINIMUM OF 1000mm BETWEEN THE EDGE OF THE BLADE AND NEARBY LIGHT FITTINGS TO MINIMISE STROBING INTERFERENCE.
2. ALL NEW SWITCHES AND CONTROLS TO BE MOUNTED BETWEEN 900mm AND 1100mm AFFL AND PLACED NOT LESS THAN 500mm FROM INTERNAL CORNERS OR OBSTRUCTIONS.



SCALE 1:100 AT A3



REPRODUCTION OF DRAWINGS  
THIS DRAWING HAS BEEN DOCUMENTED IN COLOUR  
AS SUCH, THIS DRAWING IS REQUIRED TO BE PRINTED IN COLOUR.  
FAILURE TO DO SO MAY RESULT IN LOSS OF INFORMATION

GENERAL NOTES:  
THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH ALL RELEVANT BUILDING CODES AND STANDARDS. NO AMENDMENTS SHALL BE MADE WITHOUT THE APPROVAL FROM THE DESIGNER AND THE CLIENT. THESE DRAWINGS ARE SUPPLIED ON THE CONDITION THAT IN THE EVENT OF ERROR THE DESIGNERS LIABILITY IS LIMITED ONLY TO THE COST OF AMENDING THESE DRAWINGS.  
CONTRACTORS ARE TO VERIFY ALL DIMENSIONS ON SITE BEFORE COMMENCING ANY WORK OR PRODUCING SHOP DRAWINGS. THESE DRAWINGS ARE PROTECTED BY THE LAWS OF COPYRIGHT AND MAY NOT BE COPIED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE DESIGNER.

REVISION SCHEDULE

NO.	DESCRIPTION	DATE
P1	PRELIMINARY ISSUE	18/04/24
A	TENDER ISSUE	24/05/24
0	CONSTRUCTION ISSUE	03/09/24

CLIENT  
  
NORTH PENINSULA AREA  
REGIONAL COUNCIL



PROJECT DESCRIPTION  
  
COMMUNITY HOUSING

**TOOWOOMBA OFFICE**  
PO BOX 1971  
2 KIRK STREET  
TOOWOOMBA QLD 4350  
07 4512 6300

**BRISBANE OFFICE**  
12B, 661 OXLEY ROAD,  
CORINDIA, QLD, 4075  
07 4512 6300

www.diametric.com.au  
reception@diametric.com.au

DESIGNER AC	DRAWN BY KC	CHECKED BY AC
APPROVED	RPEQ	DATE

DISCIPLINE  
  
ELECTRICAL SERVICES  
  
DRAWING TITLE  
  
OPTION B1  
LIGHTING LAYOUT

PROJECT NUMBER	DRAWING NUMBER	REVISION
DE230925	E102	0

CONSTRUCTION